# ELIGIBLE TYPES OF HOUSING

Existing rental housing types which are authorized by the program include, but are not necessarily limited to, the following:

- Townhouses;
- Garden apartments;
- Duplexes, triplexes, four-plexes, etc.;
- Single-family homes;
- Manufactured homes:
- High-rise apartments;
- · Double bungalows;
- Cooperative housing units;
- HUD-insured, or HUD-owned properties (certain exceptions apply);
- VA-guaranteed properties; and
- FmHA-insured or direct loan properties (certain exceptions apply).

# WHO IS QUALIFIED TO PERFORM THE INSPECTION?

A PHA may employ Full-Time Housing Inspectors, Part-time or Shared Housing Inspectors, In-House or Subcontracted Inspection Staff or Specialists or Generalist Inspectors.

# WHAT ARE THE OWNER AND TENANT RESPONSIBILITIES?

#### OWNER OBLIGATION

- 1. The owner must maintain the unit in accordance with HQS.
- 2. If the owner fails to maintain the dwelling unit in accordance with HQS, the PHA must take prompt and vigorous action to enforce the owner obligations. PHA remedies for such breach of the HQS include termination, suspension or reduction of housing assistance payments and terminations of the HAP contract.
- 3. The PHA must not make any housing assistance payments for a dwelling unit that fails to meet the HQS, unless the owner corrects the defect within the period specified by the PHA and the PHA verifies the correction. If a defect is life threatening, the owner must

- correct the defect within no more than 24 hours. For other defects, the owner must correct the defect within no more than 30 calendar days (or any PHA-approved extension).
- 4. The owner is not responsible for a breach of the HQS that is not caused by the owner, and for which the family is responsible (as provided in 24 CFR, Paragraph 982.404(b) and Paragraph 982.551(c)). (However, the PHA may terminate assistance to a family because of HQS breach caused by the family.)

#### FAMILY OBLIGATION

- 1. The family is responsible for a breach of the HQS that is caused by any of the following: (a) The family fails to pay for any utilities that the owner is not required to pay for, but which are to be paid by the tenant; (b) The family fails to provide and maintain any appliances that the owner is not required to provide, but which are to be provided by the tenant; or (c) Any member of the household or guest damages the dwelling unit or premises (damages beyond ordinary wear and tear).
- 2. If an HQS breach caused by the family is life threatening, the family must correct the defect within no more than 24 hours. For other family-caused defects, the family must correct the defect within no more than 30 calendar days (or any PHA-approved extension).
- 3. If the family has caused a breach of the HQS, the PHA must take prompt and vigorous action to enforce the family obligations. The PHA may terminate assistance for the family in accordance with Paragraph 24 CFR 982.552.

For information concerning HQS Inspections, call or contact:

East Providence Housing Authority 99 Goldsmith Avenue East Providence, RI 02914 (401) 434-7645

# Section 8 Housing Choice Voucher Program

HOUSING
QUALITY
STANDARDS
(HQS)



Owners/Landlords/Tenants

#### INTRODUCTION

The information contained in this brochure provides an overview of the minimum acceptability criteria necessary for housing to qualify for the Section 8 Housing Choice Voucher Program. The intent of these requirements is to insure the utilization of standard housing units and to establish minimum criteria necessary for the health and safety of the occupants. The standards also include specific criteria which must be met for manufactured homes, congregate housing, and independent group residences. (Refer to 24 CFR Ch. IX, Paragraph 982 for a full text of these Standards.)





#### WHEN WILL THE UNIT BE INSPECTED?

Once a voucher holder has selected a housing unit and the owner of the property has agreed to make the unit available for rental under the Housing Choice Voucher Program, the property will undergo an initial inspection by the local Public Housing Agency using form HUD-52580 or 52580-A to determine whether the housing unit is decent, safe and sanitary according to Housing Quality Standards. The local Public Housing Agency will make a redetermination of the unit's acceptability at least once each year when an assisted family continues in occupancy.

#### WHAT ARE THE STANDARDS?

HQS establishes acceptability criteria for the following key aspects of housing quality:

- Sanitary facilities must be contained within the dwelling unit to be leased and be available for the exclusive use of the occupants of that dwelling unit. The bathroom must be located in a separate room and have a flush toilet in proper operating condition. The unit must have a fixed basin with a sink trap and hot and cold running water in proper operating condition. The unit must have a shower or a tub with hot and cold running water in proper operating condition. The facilities must utilize an approvable public or private disposal system, including a locally approvable septic system.
- Food preparation and refuse disposal The unit must have a cooking stove or range and refrigerator of appropriate size for the unit (i.e., family), all in proper operating condition. This equipment may be supplied by either the owner or tenant. The unit must have a kitchen sink in proper operating condition with a sink trap and hot and cold running water which drains into

- an approvable public or private system. The unit must provide space for the storage, preparation, and serving of food. There must be adequate facilities and services for the sanitary disposal of food waste and refuse, including temporary storage facilities where necessary (e.g., garbage containers).
- Space and security The unit must have a minimum of a living room, a kitchen area, and a bathroom. The unit must contain at least one sleeping or living/sleeping room for each two persons. The unit's windows which are accessible from the outside, such as basement, first floor and fire escape windows, must be lockable (e.g., window units with sash pins or sash locks, and combination windows with latches). Windows which are nailed shut are acceptable provided that they are not needed as an alternate means of exit in case of fire. The unit's exterior doors (i.e., those that provide access to or egress from the unit) must be lockable.
- Thermal environment (Heating and Cooling Systems) The unit must contain a safe heating system (and safe cooling system, where present) which is in proper operating condition and can provide adequate heat (and cooling, if applicable), either directly or indirectly, to each room in order to assure a healthy living environment appropriate to the climate. The unit must not contain unvented room heaters which burn gas, oil, or kerosene. (Electric heaters are acceptable.)
- *Illumination and Electricity* There must be at least one window in the living room and in each sleeping room. The kitchen area and the bathroom must have a permanent ceiling or wall-type light fixture in working condition. The kitchen area must also have at least one electrical outlet in operating condition. The living room and each bedroom must have at least two electrical outlets in operating condition. Permanent overhead or wall-mounted light fixtures may count as one of the required electrical outlets.
- Structure and materials Ceiling, walls, and floors must not have any serious defects such as severe bulging or leaning, large holes, loose surface materials, severe buckling, missing parts or other serious damage. The roof must be structurally sound and weather-tight. The exterior wall structure and surface must not have any serious defects such as serious leaning, buckling, sagging, large holes, or defects that would result in air infiltration or vermin infestation. The condition and equipment of interior and exterior stairways, halls, porches, walkways, etc., must not present a danger of tripping and falling. Broken or missing steps and loose boards are examples of potential hazards. Elevators must be working and safe. Manufactured homes shall be equipped with at least one smoke detector in working condition. Manufactured homes must be securely anchored by a tiedown device which distributes and transfers the loads imposed by the unit to appropriate ground anchors so as to resist wind overturning and sliding (unless the Field Office has approved a variation to the Acceptability Criteria because the units are in a low-wind zone area).
- Interior Air Quality The unit must be free from dangerous levels of air pollution from carbon monoxide, sewer gas, fuel gas, dust, and other

harmful pollutants. The unit must have adequate air circulation. Bathroom areas must have one openable window or other adequate exhaust ventilation. Any room used for sleeping must have at least one openable window, if the window was so designed.

- *Water Supply* The unit must be served by an approvable public or private water supply which is sanitary and free from contamination.
- Lead-Based Paint The regulation at 24 CFR Part 35, which implements the Lead-Based Paint Poisoning Prevention Act, requires that the Public Housing Agency obtain a completed and signed Lead-Based Paint Owner Certification (HF-39-C) signifying that all HQS lead-based paint requirements have been met on any property identified as having any lead-based paint hazards at the property built prior to January 1, 1978 including deteriorated paint or other hazards identified by a visual assessor, a certified lead-based paint risk assessor, or certified lead-based paint inspector. This certification must be received by the PHA before the execution of the HAP contract or within the time period stated by the PHA in the owner HQS violation notice.
- Access The unit must be used and maintained without unauthorized use
  of other private properties. The building must provide an alternate means
  of exit in case of fire (such as fire stairs or exit through windows, with the
  use of a ladder if windows are above the second floor).
- Site and Neighborhood The site and neighborhood must be reasonably free of serious conditions which would endanger the health and safety of residents.
- Sanitary Condition The unit and its equipment must be free of serious vermin and rodent infestation.
- Smoke Detectors At least one battery-operated or hard-wired smoke detector must be present and working on each level of the unit, including the basement, but not the crawl spaces and unfinished attic. Smoke detectors must be installed in accordance with and meet the requirements of the National Fire Protection Association Standard (NFPA) 74 (or its successor standards). If the dwelling unit is occupied by any hearing-impaired person, smoke detectors must have an alarm system designed for hearing-impaired persons as specified in NFPA 74 (or successor standards).

Name to Control of Con	Children marks branching and country brokensess. The country brokensess.	
-		a. 1907 11 11
and the second of		
Contraction of the Contraction o		
Printed and the Control of the Contr		
Annual Control of the Control		A 44 TH, 444 A
, co		
A THE RESIDENCE AND THE PARTY OF THE PARTY O		
The second second		
the same of the sa		
FF 1011		
contract of		
A 549		
1 6 6 1 6 1		
The beautiful and the second of the second o		

REMEMBER: DECENT, SAFE, SANITARY

HUD-52580 HQS INSPECTION

### The EPHA's

## mission is to provide

decent

safe

and sanitary

housing conditions for our families.

East Providence Housing Authority

# Lead Paint

The East Providence Housing Authority has adopted a new policy that will require a **Certificate of Conformance**, per the RI Lead hazard Mitigation Law. This Law is designed to prevent lead poisoning in children and pregnant women. Many houses built before 1978 contain lead-based paint. The certificate will serve as proof tat any existing lead hazards in the unit have been fixed.

Please be aware that we will not process any moves, or schedule an inspection of your property, until this document is received in our Housing Choice Voucher (Section 8) office.

You can obtain a certificate by contacting a Licensed Lead Inspector. He will perform the inspection on the unit you want to lease. The RI Housing Resource Commission website is <a href="https://www.hrc.ri.gov">www.hrc.ri.gov</a> provides a list of licensed contractors. You may also call them at 401-222-Lead.

Some units are exempt from the law. If you are not familiar with all the requirements, you will be able to obtain all the information at the above website.



East Providence Housing Authority
Housing Choice Voucher (Section 8) Program
99 GOLDSMITH AVENUE
EAST PROVIDENCE, RI 02914-2240
Phone: 401-434-7645

Fax. 401-435-3466

www.ephousing.org

# **HOUSING QUALITY STANDARDS**

# **UPDATES**

Smoke Detectors

CO Detectors

Lead Paint



Spring 2021

Effective December 1, 2009, the East Providence Housing Authority Is making changes to the requirements For housing quality standards, commonly Referred to as HQS. These changes Will affect any newly leased units and inspections for 12//1/2009 and moving forward.

- 1. We have updated our carbon Monoxide requirements in Accordance with the City of East Providence fire codes. If the CO is not present at Annual Inspection, you will be sent a notice of non-compliance from our office and given a period in which to comply. All initial inspections done for newly leased units must comply.
- 2. We have adopted a new policy with respect to the RI lead hazard Mitigation Law.

PLEASE READ ON.....

#### Smoke Detectors

- As of February 20, 2004, all new 1-2 & 3
  family dwelling units built from this date
  forward shall require hardwired,
  interconnected battery back-up smoke
  detectors inside and outside each bedroom,
  and on each additional level, including
  basements.
- These new dwelling units shall also have interconnected hardwire heat detectors installed in any integral or attached garages.
- Wireless detectors shall be allowed if they are monitored by an approved system or panel and provided that such system meets all the audible requirements.
- Existing 1-2 & 3 family dwelling units, where a permit for work was received after <u>June of 1976</u>, are required to maintain previously required some detectors. These smoke detectors should be hardwired and interconnected, and they shall be located outside the bedrooms and on each level. If any dwelling unit dos not previously require hardwired alarm systems, the unit is permitted to have battery operated alarms. Battery operated smoke detectors <u>shall not replace</u> existing hardwired smoke detectors.

#### All other existing residential units:

 All other existing residential units are required to have smoke detectors located outside each bedroom area, and on each level. Battery operated some detectors are permitted for these residential units.

\*\*\*\*\*

HAVE YOU CHANGED THE BATTERIES IN YOUR SMOKE AND CARBON MONOXIDE DETECTORS??

\*\*\*\*\*\*

ARE HEATING SYSTEMS UP AND RUNNING PROPERLY???



#### Carbon Monoxide Detectors

- Any dwelling unit constructed after <u>January 1, 2002</u>, shall have hardwired carbon monoxide (CO) detectors with battery back-up.
- All newly constructed dwelling units, including apartments and condominiums, require hardwired, interconnected, battery back-up CO detectors to be located outside of bedrooms/sleeping area.
- All other existing dwelling units shall be allowed to have battery operated CO detectors to be located outside of bedroom/sleeping area. <u>The City of</u> <u>East Providence does not allow Plug-In</u> CO units.
- In addition, the local authority having jurisdiction, may require additional smoke or CO coverage in rooms or living areas having pullout sofas or other means of sleeping arrangements if in his/her judgement the room may be used for sleeping quarters on a regular or intermittent basis (i.e. basements)
- Exceptions: Dwelling units that do not contain any fossil-fuel burning appliances, fireplace, or an attached or integral garage, or exempt from the CO requirements. If any of these items are installed later, all applicable requirements will then apply.